


EQ BULLETIN



GEORGE R. ARIYOSHI
Governor

DONALD BREMNER
Chairman

ENVIRONMENTAL QUALITY COMMISSION

550 HALEKAUWILA ST., ROOM 301, HONOLULU, HAWAII 96813 PH: (808) 548-6915

Volume V

October 8, 1979

No. 19

REGISTER OF CHAPTER 343, HRS DOCUMENTS

EIS PREPARATION NOTICES

The following proposed actions have been determined to require environmental impact statements. Anyone can be consulted in the preparation of the EIS's by writing to the listed contacts. 30 days are allowed for requests to be a consulted party.

KAHALUU WELL, KOOLAUPOKO, OAHU, Board of Water Supply, City and County of Honolulu

The proposed project would upgrade the Kahaluu Exploratory Well to a permanent production well in the Windward Oahu Water System. The scope of the work includes the installation of a turbine water pump and appurtenances, connection to the 16 in. transmission line, construction of a control building and facilities, security fencing, acoustic mutes, drainlines, landscaping, and paving of service roads. The well will be tested for an estimated sustainable capacity of 0.5 mgd. The project site is located within the Waiahole Forest Reserve in the upper portion of Kahaluu (TMK: 4-7-08:2). Access is provided by a 20 ft. wide roadway from the end of Malumalu Pl. to an existing chlorinator building, and by a construction road from the chlorinator building to the well.

Contact: Laurence Whang
Board of Water Supply
City and County of Honolulu
630 South Beretania St.
Honolulu, Hawaii 96813

Deadline: November 7, 1979.

100-UNIT MOTEL COMPLEX, KAPAAHU, PUNA, HAWAII, Dave Ford/Planning Dept. Hawaii County

The applicant proposes to construct a self-contained, community-type motel development to provide overnight, weekly and monthly accommodations. The project will involve the construction of 105 separate building structures and associated improvements to the approx. 15-acre project site. Major components of the project include: 96 two-bedroom, 1-bath A-frame cottages; 4 four-bedroom, 2-bath A-frame cottages; a medical facility; a professional audio recording studio; a sewage treatment plant; a meeting hall or recreational long house; and a rainwater catchment system and reservoir. Associated improvements include: a parking lot; paved inter-cottage trail/access system; landscaping and soil importation; 2 tennis courts; a baseball field; an outdoor stage or amphitheater; and a saltwater pool with shower facility. The project site is a portion of a 34.237-acre shoreline parcel identified as TMK: 1-2-01:20. The project site is approx. 4.0 km southwest of Kaimu Black Sand Beach, makai of the Chain of Craters Rd., and adjacently north-east of the Pacific Paradise Ocean Front Estates Subdivision.

Contact: Dave Ford
97 Banyan Drive
Hilo, Hawaii 96720

Deadline: November 7, 1979.

SINGLE FAMILY DWELLING USES AT
HAENA, KAUAI, Barbara J. Parker/
Dept. of Land and Natural Resources

The applicant proposes to construct three 3 or 4-bedroom single family dwellings of approximate 2,500 sq.ft. on lands within the Limited Subzone of the Conservation District at Haena. The residences will be located on parcels identified by TMK: 5-9-03: 45 and 46, with access provided through TMK:5-9-03:43.

Contact: Ms. Barbara J. Parker
c/o Torkildson, Katz,
Jossem and Loden
700 Bishop St.
Honolulu, Hawaii 96813

Deadline: November 7, 1979.

DEEP WELL PUMP AND CONTROL BUILDING
FOR HAIKU WELL, KOOLAUPOKO, OAHU,
Board of Water Supply

Previously reported on Sept 23, 1979.

Contact: Lawrence Whang
Board of Water Supply
City and County of Honolulu
630 South Beretania St.
Honolulu, Hawaii 96813
Phone: 548-5221

Deadline: October 23, 1979.

PANAWEA AGRICULTURAL PARK, HAWAII,
Dept. of Land and Natural Resources

Previously reported on Sept 23, 1979.

Contact: Dept of Land and Natural
Resources
Div. of Water and Land
Development
P.O. Box 373
Honolulu, Hawaii 96809
Phone: 548-7496

Deadline: October 23, 1979.

HAWAII INSTITUTE OF MARINE BIOLOGY
NEW ELECTRICAL SYSTEM, COCONUT
ISLAND, KANEOHE, OAHU, Dept. of
Accounting and General Services

Previously reported on March 23, 1978.

EIS preparation notice withdrawn after detailed investigations have shown that the project will have no major adverse impacts on the environment. A negative declaration will be filed for the project.

NEGATIVE DECLARATIONS

A Negative Declaration is a determination by a proposing or approving agency that a proposed action does not have a significant effect on the environment and therefore does not require an EIS (EIS Regs. 1:4p). Publication in the Bulletin of a Negative Declaration initiates a 60-day period during which litigation measures may be instituted. Copies are available upon request to the Commission. Written comments should be submitted to the proposing agency or the approving agency. The Commission would appreciate a copy of your comments.

KAUAI

1 MG TANK, LIHUE WATER SYSTEM
IMPROVEMENT, LIHUE, Dept. of Water,
County of Kauai

The proposed project consists of the construction of a 1.0 million gallon domestic water storage tank, connecting pipeline, and appurtenances. The circular tank would be either reinforced concrete or steel, and measure 74 ft. in diameter by 32 ft. high. A 16 in. diameter pipeline will connect the tank to an existing transmission main. Appurtenances would include washout and overflow pipelines, water level controls, and control valves. The project site is located within the 0.898-acre Kilohana deep-well pumping station, approx. 1.5 miles northwest of Lihue, and 1.0 miles north of Puhi on the southeastern

slope of Kilohana Crater (TMK: 3-8-05:15). The proposed reservoir will supplement existing storage facilities.

SUBDIVISION, CONSOLIDATION, AND MAINTENANCE USE AT PAA, KOLOA, ADM International/Dept. of Land and Natural Resources

The applicant proposes to subdivide approx. 9.97 acres of land (TMK:2-9-01:por 1) from a total area of 1,239.2 acres, the majority of which is agriculturally classed land. The 9.97 acre lot, currently part of a shoreline strip of Limited Subzone, will then be consolidated with 30.767 acres of urban classed land identified by TMK: 2-9-01:2. No change in land use is involved. The land will function as a recreational open space and buffer area, and only maintenance activities will be conducted within the area.

OAHU

AMENDMENT TO THE DEVELOPMENT PLAN FOR THE CENTRAL BUSINESS SECTION AFFECTING THE PAUAHI PROJECT, HONOLULU, Dept. of Housing and Community Development, City and County of Honolulu

The proposed amendment to the Development Plan changes the characteristics of the Pauahi Project. The proposed amendment deletes the 24-ft. service alley, adjusts the boundaries of the public facilities parcel (parking structure), and retains the Fong and Pauahi Hale structures within the Project. The amendment also changes the development concept from commercially oriented to predominantly housing, and deletes the highrise towers over the parking structure and designates the land adjacent to Pauahi and River St. malls for housing purposes. The Pauahi Project is revised to a low-density, lowrise development, and the projected number of units is reduced from 450 to 250 units. The amendment affects land bounded by Maunakea, Hotel, River, and Beretania Streets, containing an area of 6.3 acres and identified by TMK: 1-7-03.

AQUACULTURE RESEARCH USE OF KANOHULUIWI FISHPOND, KALOKOHANAHOU, KANEOHE, Oceanic Institute/Dept. of Land and Natural Resources

The applicant proposes to construct improvements to Kanohuluiwi fishpond for the raising of breeding stock of local harvestable aquatic species, and for evaluating the potential of using native Hawaiian fishponds for small-scale aquaculture industry. Improvements would include enclosing the landward sides of the fishpond with a 5 ft. high chain link fence for security reasons; restoration of the existing sluice gate; and widening of the north landward side of the fishpond wall to 10 ft. The subject parcel is identified by TMK: 4-5-57:1, and contains approx. 148,328 sq. ft. The fishpond consists fo approx. 127,011 sq. ft.

RELOCATION OF TEMPORARY BUILDING, WAIKIKI SPECIAL DESIGN DISTRICT, L. Robert Allen/Dept. of Land Utilization, City and County of Honolulu

The applicant proposes to relocate a temporary building from the ewa-mauka corner of Bishop and Beretania Streets to a site off of Ala Wai Blvd. between McCully St. and Kalakaua Ave. (TMK: 2-6-14:51). The one-story, 2,000 sq. ft. building will be used as a modeling school. The project site contains 5,575 sq. ft. Six off-site parking spaces will be provided on an adjacent parcel.

ENVIRONMENTAL IMPACT STATEMENTS

EIS's listed in this section are available for review at the following public depositories: Environmental Quality Commission; Legislative Reference Bureau; Hamiliton Library; State Main Library; and the Kaimuki, Kaneohe, Pearl City, Hilo, Kahului, and Lihue Regional Libraries. State-ments are also available at State Branch Libraries that are in proximity to the site of a proposed action (indicated by project description).

EIS AVAILABLE FOR COMMENT. Comments on the following EIS may be sent to: 1) the accepting authority; and 2) the proposing agency (indicated on the EIS routing slip). Please note the deadline date for submitting written comments on the EIS.

HONOLULU AREA RAPID TRAINSIT (BUS/RAIL) PROJECT, Dept. of Transportation Services, City and County of Honolulu

Previously reported on August 8, 1979.

EIS also available for review at all branch libraries on Oahu.

The deadline date has been extended to October 25, 1979.

EIS'S SUBMITTED FOR ACCEPTANCE. The following EIS's have been submitted for acceptance and contain comments and responses made during the review and response period.

WAIPAHAU CULTURAL GARDEN PARK, OAHU, (REVISED), Dept. of Parks and Recreation, City and County of Honolulu

The proposed project consists of the development of a permanent facility to collect, preserve, and display the culture and living environment of the Waipahu Community in the plantation era. The park will consist of 2 major sections: the cultural exhibit (18 acres), and the botanical garden (26 acres), which will occupy separate portions of the total site and will be separated by a large dike and railroad berm running north-south through the site. The cultural exhibit section will contain the following facilities: a plantation village, general store, church/temple, agricultural exhibit, taro/water pond, train depot, roundhouse, museum/visitor orientation center, parking lot of approx. 200 spaces, and an open-air amphitheater. The botanical garden section will contain the following: botanic plantings, special botanic displays, picnic and open space, community education/information center, park maintenance building, parking lot

for approx. 100 cars, and improvement to Waikele Stream. The park site is bordered on the north by Waipahu St., on the south by residences and Farrington Hwy., on the west generally by apartment buildings and Waipahu Elementary School, and on the east by downtown Waipahu.

Revised EIS also available at the Waipahu, Waianae, and Wahiawa Branch Libraries.

Status: Currently being processed by the Dept. of Land Utilization, City and County of Honolulu.

MILILANI COMMUNITY LIBRARY, WAIPIO, OAHU, (REVISED), Dept. of Accounting and General Services

Previously reported on Sept 8, 1979.

Revised EIS also available at the Mililani Branch Library.

Status: Accepted by Governor Ariyoshi on September 25, 1979.

REGISTER OF SHORELINE PROTECTION ACT DOCUMENTS

The project listed in this section has been filed with the City and County of Honolulu, Dept. of Land Utilization pursuant to Ordinance 4529, relating to the Interim Shoreline Protection District for Oahu. The project is located within the Special Management Area of Oahu. Contact the DLU at 523-4077 for additional information.

INSTALLATION OF 12-INCH WATER MAIN, KAMEHAMEHA HIGHWAY, Community Planning, Inc.

Determination - Negative Declaration

The applicant proposes to install 2,850 linear ft. of 12-in. ductile iron pipe along Kamehameha Hwy. on the north shore of Oahu at Paumalu and Sunset Beach (TMK:5-8-03, 5-9-13, 5-9-14, 5-9-15, and 5-9-16). The water main will link an existing 8-in. line from the Sunset

Beach booster pump house to an existing 8-in. main at the Kahauola St. and Hoalua St. intersection. The water main will provide water service to the Velzy-land View Estates Subdivision.

NEPA DOCUMENT

The following EIS has been prepared pursuant to the requirements of the National Environmental Policy Act of 1969. Contact the Office of Environmental Quality Control for more information at 548-6915.

DRAFT ENVIRONMENTAL IMPACT STATEMENT FOR THE NATIONAL MEMORIAL CEMETERY OF THE PACIFIC, HONOLULU, OAHU, Veterans Administration

The Veterans Administration proposes to implement the Master Plan for the National Memorial Cemetery of the Pacific, the objectives of which are to expand the burial capacity of the cemetery and improve its overall operations and appearance. Major elements of the Master Plan include a visitor center/administration building and parking facility, columbaria facilities, and major improvements to the overlook. The key development will be the visitor/administration building and parking facility, which will be located on the slopes outside Punchbowl Crater, and will serve to limit automobile and bus traffic into the crater.

Contact: Mr. Willard Sitler
Director
Office of Environmental Affairs (004-A)
Veterans Administration
810 Vermont Ave., NW
Washington, D.C. 20420
(202) 389-2526

Deadline for comments to the VA:
October 15, 1979.

EQC DISCUSSES PETITION FOR DECLARATORY RULING

As reported in the last Bulletin, a petition for a declaratory ruling was filed with the EQC by the American Lung Association of Hawaii. At its meeting of September 27, 1979, the EQC discussed the petition and found that the matter in question relates to a lawsuit, pending before the Third Circuit Court, in which the EQC is involved as a party-defendant. For this reason, the EQC refused to issue a declaratory ruling pursuant to Section 1:23(c) of the Rules of Practice and Procedure, which gives the EQC the discretion to so refuse because of possible effects on a pending litigation.

NOTICE OF BOARD OF LAND AND NATURAL RESOURCES MEETING

The Board of Land and Natural Resources will hold a meeting for the purpose of a public hearing beginning at 7:00 p.m. on Thursday, October 11, 1979, in the Kahului Library Conference Room, Kahului, Maui, to receive testimony on the following:

Conservation District Use
Application No. MA-6/25/75-696,
request to amend application
by Ormond L. Kelley, architect,
on behalf of Nordic Maui, Inc.
for tourist recreational and
food service facility, Iao
Valley, Island of Maui.

For further information, contact the Dept. of Land and Natural Resources, 1151 Punchbowl St., Rm. 131, Honolulu, or the State Office Building at Wailuku, Maui; Lihue Kauai; and Hilo, Hawaii.

for 10/23 bulletin

EIS PREPARATION NOTICE

The following proposed actions have been determined to require environmental impact statements. Anyone can be consulted in the preparation of the EIS's by writing to the listed contacts. 30 days are allowed for requests to be ~~a~~ consulted ~~party~~ parties.

^{"300"}
KAHANA RESERVOIR PROJECT, KAHANA VALLEY, OAHU, Board of Water Supply, City and County of Honolulu

~~The proposed project consists of the construction~~ ^{will relieve abnormal pressure surges affecting water users between the Penstun and the Kapa'a "272" Reservoir.} ^{Proposed for} IS a 2.0 MG concrete reservoir, measuring 136 ft. in diameter and 20 ft. high, at an elevation of 300 ft. on the northern ridge of the valley. (TUC: 5-2-01, 02, 03, + 06)

The project also includes the construction of approx. 1,200 lineal ft. of surface treated coral roadway to serve as an access road; installation of approx. 8,000 lineal ft. of 42-inch waterline from Kamehameha Hwy. to the reservoir site; construction of an instrument house; and installation of miscellaneous drainage improvements, piping and appurtenances, and security fencing.

Contact: Lawrence Whang
Board of Water Supply
City and County of Honolulu
630 South Beretania St.
Honolulu, Hawaii 96813
Phone: 548-5221

Deadline: November 23, 1979.

EIS Prep Notice.

DECONTAMINATION OF HAWAII DEVELOPMENT IRRADIATOR, KEWALO
PLANT QUARANTINE STATION, Dept of Accounting and General Services

Previously reported on April 8, 1978

EIS preparation notice withdrawn after detailed investigations have shown that the project will have no major adverse impacts on the environment. A negative declaration will be filed for the project.

EIS Prep Notice

~~HANALEI WELL, KOOLAUPOKO PAHU, Board of Water Supply, City and
County of Honolulu~~

Previously reported on October 8, 1979.

Contact: Lawrence Whang
Board of Water Supply
City and County of Honolulu
630 South Beretania St.
Honolulu, Hawaii 96813
Phone: 548-5221

Deadline: November 7, 1979.

for 10/23 Bulletin

EIS Prep Notice

~~100-UNIT HOTEL COMPLEX, KAPAHAU, PUNA, HAWAII, Dave Ford /~~
Planning Dept., Hawaii County

Previously reported on October 8, 1979

Contact: Dave Ford
97 Banyan Drive
Hilo, Hawaii 96720

Deadline: November 1, 1979.

EIS Prep Notice

SINGLE FAMILY DWELLING USES AT HAENA, MAUI, Barbara J. Parker / Dept. of Land and Natural Resources

Previously reported on October 8, 1979.

Contact: Ms. Barbara J. Parker
c/o Torkildson, Katz, Josselyn, and Loden
700 Bishop St.
Honolulu, Hawaii 96813

Deadline: November 7, 1979.

NEGATIVE DECLARATIONS

A Negative Declaration is a determination by a proposing or approving agency that a proposed action does not have a significant effect on the environment and therefore does not require an EIS (EIS Regs. 1:4p). Publication in the Bulletin of a Negative Declaration initiates a 60-day period during which litigation measures may be instituted. Copies are available upon request to the Commission. Written comments should be submitted to the proposing agency or the approving agency. The Commission would appreciate a copy of your comments.

N/D Oahu

for 10/23 Bulletin

NEW ELECTRICAL SYSTEM, HAWAII INSTITUTE OF MARINE BIOLOGY
(HIMB), COCONUT ISLAND, KANEHOE, Dept. of Accounting and
General Services

The proposed project consists of the installation of a new electrical system with a capacity of 2,000 kva (1,000 Amps) to service Coconut Island. The project will consist of the installation of two ^{1500-volt} submarine cables from Lilipuna Pk. to Coconut Island, a distance of approx. 1,600 ft. One cable is to be used to serve the island with the other cable serving as back-up in case of failure of the first cable. The cables will be laid on the ocean floor without trenching where the bottom is mud or unconsolidated material. ^{In areas where the bottom consists of consolidated material,} The cables will be placed in trenches measuring approx. 3 ft. deep by 4 ft wide, and recovered with the excavated material. An easement through private property will be obtained on the Kaneohe side, and 2 new 15,000-volt underground feeder cables will be installed. A new telephone raceway will parallel the electrical raceway in a common excavation at the Kaneohe end, and there the new submarine cables will be spliced to the underground feeder cables.

for 10/23 Bulletin.

N/D Oahu

~~CONSTRUCTION~~ MODULE "C", OAHU HIGH SECURITY FACILITY,

HALAWA, Dept. of Accounting and General Services

The proposed project consists of the construction of a residential module of approx. 75 ft. by 70 ft., and a secured recreational yard measuring approx. 65 ft. by 65 ft. at the Oahu High Security Facility in Halawa Valley.

N/D Maui

CONSTRUCTION OF BARN/WORKSHOP AND GUEST COTTAGE, HONOKALANI,
HANA, HI. & HRS. John E. Dyer / Dept. of Land and Natural Resources

The applicant proposes to construct a barn/workshop and guest cottage on an 18.624 acre parcel identified by TMK: 1-3-05:33, located within the General Subzone of the Conservation District.

The barn/workshop will contain 810 sq. ft. and ~~be used for~~ ^{will contain} ~~animal care and storage of tools and feed, storage of machinery, tools and equipment, a workshop for the maintenance of axes and~~ ~~tractors, and a studio for arts and crafts.~~ ^{wood construction.} ~~wood construction.~~ The cottage ~~will contain~~ ^{will contain} 1500 sq. ft. Both structures will be single story ~~wood construction.~~ ^{wood construction.}

N/D Hawaii

8-INCH WATER LINE ALII DRIVE, KONA, Dept of Water Supply,
County of Hawaii

The proposed project involves the installation of approx. 1,966 lineal ft. of 8-inch pipeline along Alii Dr. from the Alii Kai subdivision towards Railua (TMK: 7-6-17 and 7-5-20). The proposed project will increase the carrying capacity of the network water system feeding the Railua area.

ENVIRONMENTAL IMPACT STATEMENTS

EIS's listed in this section are available for review at the following public depositories: Environmental Quality Commission; Legislative Reference Bureau; Hamilton Library; State Main Library and the Kaimuki, Kaneohe, Pearl City, Hilo, Kahului, and Lihue Regional Libraries. Statements are also available at State Branch Libraries that are in proximity to the site of a proposed action (indicated by project description). Comments may be sent to: 1) the proposing agency or applicant; and 2) accepting authority or approving agency (indicated on the EIS routing slip). 30 days are allowed for submitting written comments on the EIS.

EIS'S SUBMITTED FOR ACCEPTANCE. The following EIS's have been submitted for acceptance and contain comments and responses made during the review and response period.

CRESTVIEW ELEMENTARY SCHOOL SITE SELECTION,
WAIPAHU, OAHU, Dept. of Accounting and
General Services

CRESTVIEW ELEMENTARY SCHOOL SITE SELECTION,
WAIPAHU, OAHU, (REVISED), Dept. of Accounting
and General Services

The proposed project involves the site selection for an elementary school to service the area bounded by Panakauahi Gulch on the east, Kamehameha Hwy. on the west, Waiawa Interchange on the south, and Mililani Memorial Road on the north. The service area consists of the Crestview, Seaview, and proposed Gentry-Waipio subdivisions. The school will require 6+ acres for classroom and support facilities, and 2+ acres for playground areas. The design enrollment for the school is 920 students. Two sites were selected as alternatives, both of which are located within the proposed Gentry-Waipio subdivision (TMK: 9-4-06: 8).

~~Revised EIS also available at the~~

Status: Currently being processed by the
Office of Environmental Quality
Control.

EIS Submitted for Acceptance

KIHEI BOAT LAUNCHING RAMP FACILITY, KEAWAIAPI, MAUI, (REVISED),
Dept. of Transportation, Harbors Division.

The proposed project involves the construction of a boat launching facility consisting of a 30 ft. wide double lane boat launching ramp, boat washdown and maneuvering areas, an access road from Piilani Hwy., parking for 39 cars with trailers, and an offshore rubble mound breakwater and groin.

Provisions will also be made for a future comfort station and a dry boat storage operation. Provisions for water, lights, and telephone service are also included in the project. Approx. 1.5 acres of land and 2 acres of water space will be required. ~~Approx.~~

~~Approx.~~ The project site is located south of Kamaole Beach Park #3, and makai (west) of Kihei Rd., and is identified by TMC: 3-9-04-1 and 3-9-04-61. There are some historical and archaeological sites in the vicinity, but no construction activities are planned within these areas.

Revised EIS also available at the Kahului, Lahaina, and Makawao Branch Libraries.

status: Currently being processed by the office of Environmental Quality Control.

for 10/23 Bulletin

EIS

WAIPAHA CULTURAL GARDEN PARK, WAIPAHA, OAHU, (REVISED),
Dept of Parks and Recreation, City and County of Honolulu

Previously reported on October 8, 1979

Revised EIS also available for review at the Waipahu, Waianae,
and Wahiawa Branch Libraries.

Status: Accepted by Governor Ariyoshi on October 11, 1979.

REGISTER OF SHORELINE PROTECTION
ACT DOCUMENTS

The project listed in this section has been filed with the City and County of Honolulu Dept. of Land Utilization pursuant to Ordinance 4529, relating to the Interim Shoreline Protection District for Oahu. The project is located within the Special Management Area of Oahu. Contact the DLU at 523-4077 for additional information.

CONSTRUCTION OF RECEIVING AND STORAGE FACILITIES FOR COAL,

EWA BEACH, Cyprus Hawaiian Cement Corp.

Determination - Negative Declaration

note
page

The applicant proposes to construct facilities to ~~receive, store, and use coal for processing of cement clinker in an existing kiln on a 27.275 acre parcel identified by TRK 19-1-2616.~~
The project would consist of the construction of a 150 ft. by 350 ft. enclosure building for the storage of about 20,000 tons of coal. The building would be of steel frame construction and measure 68 ft. in height. Other equipment such as conveyer belts, bucket elevators, a coal crusher, and a pulverizer ~~are also included in~~ and a chain-link fence, will be installed.
~~Additional information concerning air quality and on-site topography is being required.~~

JOB ANNOUNCEMENT

POSITION: ENVIRONMENTAL ANALYST (~~NON-CIVIL SERVICE POSITION~~) ^{754/mo}

AGENCY: STATE OFFICE OF ENVIRONMENTAL QUALITY CONTROL
550 Halekauwila St., Rm 301
Honolulu, Hawaii 96813

CONTACT: Helene Takemoto ~~or Rick Seudder~~ at 548-6915

JOB DESCRIPTION

DUTIES: Review, evaluate, and prepare comments and recommendations regarding environmental aspects of proposed governmental actions, including environmental impact documents, land use applications, ~~health variances~~, and various other environmental related permits.

Conduct in depth analysis of various environmental documents. Assist the Unit Chief in meetings with governmental agencies, applicants and their consultants regarding environmental requirements, matters, issues, and policies. Assist in processing, reviewing, and analyzing of EIS's and its inquiries. Assist in development and conduct training workshops regarding environmental impact statements, policies, and related matters. Perform special environmental studies as assigned.

QUALIFICATIONS:

Ability to analyze facts, system policies, procedures, and develop conclusion and recommendations; understand and apply basic research methods used in EIS evaluation; read and comprehend some environmental subjects; speak and write clearly and concisely.

→ Education ~~and experience~~ requirements are graduation from an accredited university or college, with background in environmental, biological, or physical sciences, urban or regional planning or a related field.

NOTICE OF BOARD OF LAND AND NATURAL RESOURCES
MEETING

The Board of Land and Natural Resources will hold a meeting for the purpose of a public hearing beginning at 7:00 p.m. on Thursday, November 1, 1979 in the King Intermediate School Cafetorium, 46-155 Kam Highway, Kaneohe, Oahu, to receive testimony on the following:

Conservation District Use Application No. OA-7/13/79-1160 by Hiram L. Fong, Jr., et. al. for horticultural and botanical garden use at Kaalaea, Koolau Point, Oahu.

For further information, contact the Dept. of Land and Natural Resources, 1151 Punchbowl St., Rm. 131, Honolulu, or the State Office Building at Wailuku, Maui; Lihue, Kauai; and Hilo, Hawaii.