

# The Environmental Notice

A SEMI-MONTHLY BULLETIN OF THE OFFICE OF ENVIRONMENTAL QUALITY CONTROL



**BENJAMIN J. CAYETANO**  
GOVERNOR

**OFFICE OF  
ENVIRONMENTAL  
QUALITY CONTROL**  
GENEVIEVE SALMONSON  
DIRECTOR

The Environmental Notice  
reviews the environmental impacts of  
projects proposed in Hawaii

Other Resources  
available at OEQC . . .

- *Guidebook for Hawaii's Environmental Review Process*
- *Environmental Impact Study Resource Library*
- *Environmental Education Database*
- *Environmental Council Annual Reports*
- *Rules and Policies*
- *"How to Plant a Native Hawaiian Garden"*

## **OEQC**

235 S. BERETANIA ST.  
STATE OFFICE TOWER  
SUITE 702  
HONOLULU, HI 96813

Tel. (808) 586-4185  
Fax. (808) 586-4186

Molokai & Lanai: 1-800-468-4644 ext. 64185  
Kauai: 274-3141 ext. 64185  
Maui: 984-2400 ext. 64185  
Hawaii: 974-4000 ext. 64185

NOVEMBER 23, 1999

## Molokai and Maui Preserves

The DLNR Division of Forestry and Wildlife is proposing to renew long-term management agreements with The Nature Conservancy of Hawaii to manage the 2,774-acre Kamakou Preserve in Molokai, the 921-acre Mo'omomi Preserve in Molokai, and the 5,230-acre Waikamoi Preserve in Makawao, Maui. These projects are part of the Natural Area Partnership Program, a state program that provides 2:1 matching funds for natural area protection efforts on private lands of Natural Area Reserve quality.

The Kamakou preserve is located in the east Molokai mountains. Of the ten natural community types protected within the preserve there are two rare natural communities, 'Ohi'a Mixed Montane Bog and Montane Wet Piping Cave (a subterranean community known only from Molokai). Kamakou is home to 35 rare plant taxa. Three endangered native forest birds currently frequent the preserve, along with five species of rare native land snails that are the subject of a research study.

### **Kauai Resort DEIS**

The Kauai Planning Department has submitted the draft EIS for Kapalawai Resort. Proposed is a 250-cottage resort on 170 acres, located along the coastline at Makaweli, about a half mile from Waimea. Infinity's surf site is nearby. The cottages will have no TV or telephones, but the complex will offer two restaurants, a snack bar, fitness center/beach club, ball courts, amphitheater and 465 parking spaces. The focal point will be the Robinson family home, constructed in 1865. It will house a museum, reception area, offices and a meeting room. There is also an historic Portuguese oven and a 6½ acre spring-fed pond on the site. See page 14.

The Mo'omomi Preserve is located along the northwest shore of Molokai. Mo'omomi's rich coastal dune ecosystem contains six native-dominated natural communities. Eight of the 25 native plant taxa reported from the preserve are rare. Green sea turtles, listed as threatened by the state and federal governments, frequent the coastline of Mo'omomi Preserve, which provides some of the most significant nesting sites in the main Hawaiian Islands.

The Waikamoi Preserve is located in East Maui and lies to the west of the state's 7,500-acre Hanawi Natural Area Reserve, and its southern boundary runs along Haleakala National Park. The forests of Waikamoi Preserve provide vital habitat for 13 native Hawaiian birds. The preserve also provides an essential watershed for the island of Maui. The East Maui watershed region is the largest single source of harvested surface water in the state, with an average flow of 60 billion gallons per year. See pages 6 and 8.

### **Hanalei Bridge Repair**

The Highways Division of the State Department of Transportation has submitted a draft EA for the repair of the historic Hanalei Bridge. This one-lane bridge on Kuhio Highway was constructed in 1912, is 17 feet wide and connects Kauai's north shore communities with the rest of the island. DOT wishes to replace deteriorating trusses and repair others, along with replacing guardrails, pedestrian railings, and parts of the timber deck. Because it was placed on the national historic register in 1978, replacement parts will have a similar appearance. The bridge will remain open during the work period. For more information see page 14.

# Table of Contents

NOVEMBER 23, 1999

## Oahu Notices

### Draft Environmental Assessments

- (1) Elepaio & Ulili Streets Drain Outlet Improvements ..... 3

### Final Environmental Assessments/ Findings of No Significant Impacts (FONSI)

- (2) Knake Single Family Residence ..... 3
- (3) Punchbowl Street Widening Project, Vineyard Boulevard  
to Lusitana Street ..... 4

### Previously Published Projects Pending Public Comments

- Draft Environmental Impact Statements ..... 4
- Final Environmental Impact Statements ..... 5

## Maui Notices

### Draft Environmental Assessments

- (1) Waikamoi Preserve Natural Area Partnership ..... 6

### Final Environmental Assessments/ Findings of No Significant Impacts (FONSI)

- (2) Kanoa Well Nos. 1 and 2 ..... 7

### Withdrawal

- Kapua Village Subdivision ..... 7

## Molokai Notices

### Draft Environmental Assessments

- (1) Kamakou Preserve Natural Area Partnership ..... 8
- (2) Mo'omomi Preserve Natural Area Partnership ..... 8

## Hawaii Notices

### Draft Environmental Assessments

- (1) Zivalic Single-Family Home ..... 10

### Final Environmental Assessments/ Findings of No Significant Impacts (FONSI)

- (2) Kaumana Drive Pipeline Replacement, Phase II ..... 10

### Previously Published Projects Pending Public Comments

- Draft Environmental Assessments ..... 11
- Final Environmental Impact Statements ..... 12

### Federal Record of Decision

- Lower Hamakua Ditch Watershed Project ..... 12

### Supplemental EIS Not Required

- Abalone Production in Kona ..... 12

## Kauai Notices

### Draft Environmental Assessments

- (1) Batesole Forest Stewardship Project ..... 13
- (2) Hanalei Bridge Repair Work ..... 14

### Draft Environmental Impact Statements

- (3) Kapalawai Resort ..... 14

### Previously Published Projects Pending Public Comments

- Draft Environmental Assessments ..... 15

## Shoreline Notices

- Shoreline Certification Applications ..... 16
- Shoreline Certifications and Rejections ..... 17

## Coastal Zone News

- (1) Komohana Street/Alenaio Stream Bridge Replacement,  
Hilo, Hawaii ..... 18
- (2) Place Existing Overhead Utility Lines Under Anahulu Bridge  
and Anahulu Stream, Haleiwa, Oahu ..... 18
- (3) Bathtub Beach Erosion Control Project, Laie, Oahu ..... 18
- (4) Lease of Pearl Harbor Naval Shipyard Dry Dock No. 4 ..... 18

## Pollution Control Permits

- Department of Health Permits ..... 19

## Federal Notices

- NOAA Coastal Services Center Grants ..... 20
- Pelagics Fisheries EA and EIS ..... 20
- Federal Property Suitable to Assist the Homeless ..... 20
- Endangered Species Permit Applications ..... 20
- Pearl Harbor Dredging Permit ..... 20

## Announcements

- Directory of Professional Environmental Organizations in Hawaii ..... 5

The calendar for  
**Submission & Comment Deadlines for  
Year 2000 Environmental Notice**  
can be found on page 21



*OEQC intends to make the information in this bulletin accessible to everyone. Individuals that require this material in a different format (such as large type or braille), should contact our office for assistance.*

## Draft Environmental Assessments



### (1) Elepaio & Ulili Streets Drain Outlet Improvements

**District:** Honolulu  
**TMK:** 3-5-03:39 and 3-5-04  
**Applicant:** City and County of Honolulu  
Department of Design and Construction  
650 South King Street, 2nd Floor  
Honolulu, Hawaii 96813  
Contact: Tyler Sugihara (523-4564)

#### Approving Agency/Accepting

**Authority:** Same as above.  
**Consultant:** Kusao & Kurahashi, Inc.  
1314 South King Street, Suite 1263  
Honolulu, Hawaii 96814  
Contact: Keith Kurahashi (538-6652)

#### Public Comment


**Deadline:** December 23, 1999  
**Status:** DEA First Notice pending public comment.  
Address comments to the applicant with copies to the consultant and OEQC.

#### Permits

**Required:** Building

In order to reduce the severity and frequency of upstream flooding, the applicant proposes to reconstruct the existing manhole over the existing 42-inch Elepaio Street drain line at the end of the Elepaio Street right-of-way and reconstruct the existing manhole over the 54-inch Ulili Street drain line outfall to provide access for cleaning the storm drain lines and an overflow slot to accommodate excess flood waters when the existing offshore pipeline capacities are exceeded. The last manhole on the Ulili Street drain line, which will be improved, is located in privately owned land within a City and County Of Honolulu drainage easement and is covered with fill from site development. At present there is no access to this portion of the pipe for removing silt accumulated in the pipe.

The applicant also proposes to repair and relocate an existing public access stairway that provides access from the top of the seawall to the beach area below, at the end of the



Elepaio Street public right-of-way. The relocation of the public access stairway is necessary in order to comply with Section 3306(c) of the Uniform Building Code related to rise and run and to have the stairs end at a point above mean sea level. If the stairway remains in its existing location, when rise and run provisions are met, the stairway would end up in the water with the final step being below mean sea level. By relocating the stairway to follow the existing sea wall, the stairway ends at a point above mean sea level.

The project is located in Kahala.

## Final Environmental Assessments/Findings of No Significant Impacts (FONSI)



### (2) Knake Single Family Residence

**District:** Koolaupoko  
**TMK:** 4-7-45:21  
**Applicant:** Richard & Elizabeth Knake (239-2410)  
47-422 Lulani Street  
Kaneohe, Hawaii 96744

# Oahu Notices

NOVEMBER 23, 1999

## Approving Agency/Accepting

**Authority:** Department of Land and Natural Resources  
1151 Punchbowl Street, Room 130  
Honolulu, Hawaii 96813

**Consultant:** Carlo Priska AIA (531-8518)  
1255 Nuuanu Ave. #1201  
Honolulu, Hawaii 96817

## Public Challenge

**Deadline:** December 23, 1999  
**Status:** FEA/FONSI issued, project may proceed.  
**Permits Required:** Building, CDUP, grading

The applicant proposes to construct a single family residence (SFR) with a two car garage attached, site improvement work which includes a paved driveway and motor court, landscaping, grading, and connection to existing utilities.

The SFR would cover approximately 3,000 square feet of floor area and would be used for single family dwelling. It would have a living room, kitchen dining, den master and bath, nursery, 2 bathrooms, family game room, and a laundry in the garage.



## (3) Punchbowl Street Widening Project, Vineyard Boulevard to Lusitana Street

**District:** Honolulu  
**TMK:** 2-1-22:01, 11, 12, 13, 14, 15  
**Applicant:** City and County of Honolulu  
Department of Design and Construction  
650 South King Street  
Honolulu, Hawaii 96813  
Contact: Gregory Hee (527-6977)

## Approving Agency/Accepting

**Authority:** Same as above.  
**Consultant:** Parsons Brinckerhoff Quade & Douglas Inc.  
1001 Bishop Street  
Pacific Tower, Suite 3000  
Honolulu, Hawaii 96813  
Contact: Darin Chinen (531-7094)

## Public Challenge

**Deadline:** December 23, 1999  
**Status:** FEA/FONSI issued, project may proceed.  
**Permits Required:** Punchbowl Special Design District, Right-of-Entry, grading

The City and County of Honolulu Department of Design and Construction (DDC) is proposing to provide an additional north (mauka) bound lane on Punchbowl Street from Vineyard Boulevard to Lusitana Street. This portion of Punchbowl Street currently has three lanes, two lanes south (makai) bound and one lane north (mauka) bound. After construction, this portion will have two south (makai) bound and two north (mauka) bound lanes.

The Punchbowl Street/Vineyard Boulevard intersection operates at Level of Service (LOS) F (worst traffic condition) in both AM and PM peak hours. The north (mauka) bound Punchbowl Street traffic experiences extremely long delays because demand substantially exceeds the capacity of the single through lane.

By widening this portion of Punchbowl Street, the City fulfills its objective of improving street utilization and circulation by reducing a traffic bottleneck at the Vineyard-Punchbowl intersection. This segment is one of several planned improvements along Punchbowl Street between Ala Moana Boulevard and Lusitana Street proposed by the City and County. A Chapter 343, HRS environmental assessment is required for Vineyard Boulevard to Lusitana Street segment because the widening of Punchbowl requires acquisition of additional right-of-way on the east (Diamond Head) side of the street. No dwelling units will be taken and no residents will be displaced.

Driveways to six lots that front Punchbowl Street will be reconstructed and structures on a seventh lot, purchased by the City, will be demolished and the cleared lot will be utilized for parking by residents of the affected properties.

With construction anticipated to begin in early 2000, the proposed project is expected to open for service in the summer of 2002. The estimated cost of the project is \$1.65 million (1999 dollars).

---

## Previously Published Projects Pending Public Comments

---

### Draft Environmental Impact Statements

#### Kailua 272' Reservoir (Supplemental)

**Applicant:** City and County of Honolulu  
Board of Water Supply  
630 South Beretania Street  
Honolulu, Hawaii 96843  
Contact: Barry Usagawa (527-5235)

NOVEMBER 23, 1999

## Approving Agency/Accepting

**Authority:** Governor, State of Hawaii  
c/o Office of Environmental Quality Control  
235 South Beretania Street, Suite 702  
Honolulu, Hawaii 96813

## Public Comment

**Deadline:** December 7, 1999

## **Kamoku-Pukele 138-kV Transmission Line Project (Revised)**

**Applicant:** Hawaiian Electric Company, Inc.  
P.O. Box 2750  
Honolulu, Hawai'i 96840-0001  
Contact: Kerstan Wong (543-7059)

## Approving Agency/Accepting

**Authority:** Department of Land and Natural Resources  
Land Division  
1151 Punchbowl Street  
Honolulu, Hawai'i 96813  
Contact: Sam Lemmo (587-0381)

## Public Comment

**Deadline:** December 7, 1999

## **Kailua-Kaneohe-Kahaluu Facilities Plan**

**Applicant:** City and County of Honolulu  
Department Design and Construction  
650 South King Street  
Honolulu, Hawaii 96813  
Contact: Carl Arakaki (523-4671)  
and  
City and County of Honolulu  
Department of Environmental Services  
650 South King Street  
Honolulu, Hawaii 96813  
Contact: Kenneth Sprague (527-6663)

## Approving Agency/Accepting

**Authority:** City and County of Honolulu  
Department of Planning and Permitting  
650 South King Street  
Honolulu, Hawaii 96813  
Contact: Jan Sullivan (523-4432)

## Public Comment

**Deadline:** December 23, 1999

## Final Environmental Impact Statements

### **Oahu Commercial Harbors 2020 Master Plan**

**Applicant:** Department of Transportation  
Harbors Division  
79 S. Nimitz Highway  
Honolulu, Hawaii 96813  
Contact: Glenn Soma (587-2503)

## Approving Agency/Accepting

**Authority:** Governor, State of Hawaii  
c/o Office of Environmental Quality Control  
235 South Beretania Street, Suite 702  
Honolulu, Hawaii 96813

**Status:** FEIS currently being reviewed by OEQC.



## Directory of Professional Environmental Organizations in Hawaii

The Hawaii Association of Environmental Professionals (HAEP) has updated its [Directory of Environmental Professionals in Hawaii](#).

If you would like more information, please contact Paul Bienfang at [bienfang@ceatech.com](mailto:bienfang@ceatech.com). The directory can also be accessed on the web site at [http://www.ncal.verio.com/~aecos/haep\\_hp.html](http://www.ncal.verio.com/~aecos/haep_hp.html).

# Maui Notices

NOVEMBER 23, 1999

## Draft Environmental Assessments



### (1) Waikamoi Preserve Natural Area Partnership

**District:** Makawao  
**TMK:** 2-3-05-4  
**Applicant:** Department of Land and Natural Resources  
Division of Forestry and Wildlife  
1151 Punchbowl Street Room 325  
Honolulu, HI 96813  
and  
The Nature Conservancy of Hawaii  
1116 Smith Street  
Honolulu, HI 96817  
Contact: Betsy Gagne 9587-0063)

#### Approving Agency/Accepting

**Authority:** Department of Land and Natural Resources  
Division of Forestry and Wildlife  
1151 Punchbowl Street Room 325  
Honolulu, HI 96813  
Contact: Betsy Gagne (587-0063)  
**Consultant:** Anis Lyons, The Nature Conservancy Maui  
1116 Smith Street  
Honolulu, HI 96817  
Contact: Alenka Remecek (537-4508)


#### Public Comment

**Deadline:** December 23, 1999  
**Status:** DEA First Notice pending public comment.  
Address comments to the applicant with copies to the approving agency or accepting authority, the consultant and OEQC.

#### Permits

**Required:** BLNR approval

The Division of Forestry and Wildlife is proposing to renew a long-term management agreement with The Nature Conservancy of Hawaii to manage the 5,230-acre Waikamoi Preserve in the District of Makawao, County of Maui. This project is part of the Natural Area Partnership Program, a state program that provides 2:1 matching funds for natural area protection efforts on private lands of Natural Area Reserve quality.



The Preserve is located in East Maui and lies to the west of the state's 7,500-acre Hanawi Natural Area Reserve, and its southern boundary runs along Haleakala National Park. These managed areas, together with other state and private lands on the northeast slopes of Mt. Haleakala, represent one of the largest intact native rain forests in the state, comprising more than 100,000 acres.

The primary goal of this project is to maintain Waikamoi Preserve's native ecosystems and protect the area's rare plants and animals. For example, the forests of Waikamoi Preserve provide vital habitat for 13 native Hawaiian birds. The preserve also provides essential watershed for the island of Maui. The East Maui watershed region is the largest single source of harvested surface water in the state, with an average flow of 60 billion gallons per year.

This project is long-term and consists of several distinct research, monitoring and management facets to assure the long-term survival of Waikamoi's unique native birds, plants and insects. Furthermore, this project proposes the most cost-effective proactive preservation of the headwaters to the East Maui watershed. The project also integrates key strategies in community outreach to build public awareness and support of conservation of native natural areas.

NOVEMBER 23, 1999

---

## Final Environmental Assessments/Findings of No Significant Impacts (FONSI)

---



### (2) Kanoa Well Nos. 1 and 2

**District:** Wailuku  
**TMK:** 3-2-01:por. 3  
**Applicant:** County of Maui  
Department of Water Supply  
200 South High Street  
Wailuku, Hawaii 96793  
Contact: Herbert Kogasaka, (270-7835)

#### Approving Agency/Accepting

**Authority:** Same as above.  
**Consultant:** Chris Hart & Partners  
Landscape Architecture and Planning  
1955 Main Street, Suite 200  
Wailuku Hawaii 96793  
Contact: Rory Frampton (242-1955)

#### Public Challenge

**Deadline:** December 23, 1999  
**Status:** FEA/FONSI issued, project may proceed.  
**Permits Required:** Well drilling, pump installation, building

The County of Maui, Department of Water Supply (DWS) is proposing the development of Kanoa Well Nos. 1 and 2 in Waihee, Maui, Hawaii. The proposed wells are part of the larger North Waihee Water Source Project, which is intended to relieve stress on the Iao Aquifer System by providing alternative sources of water for the Central Maui Water System.

DWS prepared and processed a Final Environmental Assessment for the North Waihee Water Source Project in March 1994 (Michael T. Munekiyo Consulting, 1994) in which a preliminary assessment of the development of the Kanoa Wells was addressed. The purpose of this Draft EA is to more specifically assess the potential impacts associated with the well development and activation of Kanoa Well Nos. 1 and 2.

Both well sites are located in areas that have been previously altered through implementation of the larger North

Waihee Water Source Project. The Kanoa Well No. 1 site is located west of Kahekili Highway at an approximate elevation of 310 feet above mean sea level (MSL) at the site of existing exploratory and monitoring wells. Kanoa Well No. 2 is situated approximately 600 feet to the southwest of Kanoa Well No. 1 at about 350 feet MSL, and is located adjacent to an existing paved access road that services the North Waihee Reservoir (1mg).

The Kanoa Well No. 1 site has already been cleared, grubbed, and graded while this work is still required at the Kanoa Well No. 2 site. Each respective site will have its adjacent slopes grassed, and access roads and well sites paved. Installation of transmission water lines, construction of accessory buildings, and pump installation and related piping is required at each site. Electrical and telemetry equipment is also to be installed at each site while disinfection equipment is proposed for the Kanoa Well No. 2 site. Each site will be fenced.

A 12-inch transmission water line will transport water from Kanoa Well No. 1 to an existing 24-inch line that will supply the existing North Waihee Reservoir with water from both wells (Kanoa Well No. 2 is adjacent to this 24-inch line). Water from the proposed wells will service the DWS's Central Maui Water System through previously constructed transmission lines.

A "Findings of No Significant Impact" has been made by DWS.

---

## Withdrawal

---



### Kapua Village Subdivision

The County of Maui, Department of Planning withdrew the FONSI determination for the Kapua Village Subdivision on November 3, 1999.

The FONSI notice was published in the March 23, 1999 issue of The Environmental Notice.


If there are any questions, please call Julie Higa of the Maui Planning Department at 270-7814.



# Molokai Notices

NOVEMBER 23, 1999

## Draft Environmental Assessments



### (1) Kamakou Preserve Natural Area Partnership

**District:** Molokai  
**TMK:** 5-4-03:26  
**Applicant:** Department of Land and Natural Resources  
Division of Forestry and Wildlife  
1151 Punchbowl Street Room 325  
Honolulu, HI 96813  
and  
The Nature Conservancy of Hawaii  
1116 Smith Street  
Honolulu, HI 96817  
Contact: Betsy Gagne (587-0063)

#### Approving Agency/Accepting

**Authority:** Department of Land and Natural Resources  
Division of Forestry and Wildlife  
1151 Punchbowl Street Room 325  
Honolulu, HI 96813  
Contact: Betsy Gagne (587-0063)  
**Consultant:** Ed Misaki, The Nature Conservancy  
1116 Smith Street  
Honolulu, HI 96817  
Contact: Alenka Remecek (537-4508)

#### Public Comment

**Deadline:** December 23, 1999  
**Status:** DEA First Notice pending public comment.  
Address comments to the applicant with copies to the approving agency or accepting authority, the consultant and OEQC.

#### Permits

**Required:** BLNR approval

The Division of Forestry and Wildlife is proposing to renew a long-term management agreement with The Nature Conservancy of Hawaii to manage the 2,774-acre Kamakou Preserve in the District of Molokai, County of Maui. This project is part of the Natural Area Partnership Program, a state program that provides 2:1 matching funds for natural area protection efforts on private lands of Natural Area Reserve quality.

The preserve is located in the east Molokai mountains and borders three other protected natural areas. The Conservancy also cooperates with the state to undertake joint management projects in areas adjacent to Kamakou. Together with Olokui NAR, these protected areas form more than 22,000 acres of contiguous, native-dominated ecosystems. Kamakou is one of the primary groundwater recharge and surface water source areas feeding the State Department of Agriculture's Molokai Irrigation System.

Of the ten natural community types protected within the preserve there are two rare natural communities – 'Ohi'a Mixed Montane Bog and Montane Wet Piping Cave (a subterranean community known only from Molokai). Kamakou is home to 35 rare plant taxa, 18 of which are listed endangered.

Three endangered native forest birds currently frequent the preserve, along with five species of rare native land snails which are the subject of a long-term research study.

The primary focus of management programs to protect the preserve's native plants, animals and natural communities also results in an improved watershed, wildfire prevention, and increased access to the community for educational and cultural activities.

### (2) Mo'omomi Preserve Natural Area Partnership

**District:** Molokai  
**TMK:** 5-1-02:37  
**Applicant:** Department of Land and Natural Resources  
Division of Forestry and Wildlife  
1151 Punchbowl Street Room 325  
Honolulu, HI 96813  
and

# Molokai Notices

NOVEMBER 23, 1999

The Nature Conservancy of Hawaii  
1116 Smith Street  
Honolulu, HI 96817  
Contact: Betsy Gagne (587-0063)

## Approving Agency/Accepting

**Authority:** Department of Land and Natural Resources  
Division of Forestry and Wildlife  
1151 Punchbowl Street Room 325  
Honolulu, HI 96813  
Contact: Betsy Gagne (587-0063)

**Consultant:** Ed Misaki, The Nature Conservancy  
1116 Smith Street  
Honolulu, HI 96817  
Contact: Alenka Remec (537-4508)

## Public Comment

**Deadline:** December 23, 1999  
**Status:** DEA First Notice pending public comment.  
Address comments to the applicant with copies to the approving agency or accepting authority, the consultant and OEQC.

## Permits

**Required:** BLNR approval


The Division of Forestry and Wildlife is proposing to renew a long-term management agreement with The Nature Conservancy of Hawaii to manage the 921-acre Mo'omomi Preserve in the District of Molokai, County of Maui. This project is part of the Natural Area Partnership Program, a state program that provides 2:1 matching funds for natural

area protection efforts on private lands of Natural Area Reserve quality.

The Preserve is located along the northwest shore of Molokai. Mo'omomi's rich coastal dune ecosystem contains six native-dominated natural communities. Eight of the 25 native plant taxa reported from the preserve are rare. Two of the eight are endemic to western Molokai, three are federally listed as endangered, and two are federally listed as threatened.

Green sea turtles, listed as threatened by the state and federal governments, frequent the coastline of Mo'omomi Preserve, and the preserve provides some of the most significant nesting sites in the main Hawaiian Islands. Laysan albatross, wedgetail shearwaters and monk seals also visit the area, and may someday become established at Mo'omomi.

Preserve management activities are directed toward protection of the area's native natural communities through reduction of incursion by domestic livestock and feral animals, and reduction of the spread of alien weeds that adversely affect the native ecosystems. The project also tracks and evaluates the biological and physical resources of the preserve to assist in the prevention of extinction of rare species in the preserve. Management programs also work to build community support and awareness of the conservation of native natural resources, and to implement effective conservation practices that are also culturally sensitive.



# Hawaii Notices

NOVEMBER 23, 1999

## Draft Environmental Assessments



### (1) Zivalic Single-Family Home

**District:** South Kona  
**TMK:** 8-7-19:40  
**Applicant:** Paul Zivalic  
c/o Gregory R. Mooers  
P.O. Box 1101  
Kamuela, Hawaii 96743  
Contact: Gregory Mooers (885-6839)

**Approving Agency/Accepting**

**Authority:** Department of Land and Natural Resources  
P.O. Box 621  
Honolulu, Hawaii 96809  
Contact: Ed Henry (587-0380)

**Consultant:** Ron Terry, Ph.D. (982-5831)  
HC 2 Box 9575  
Keaau, Hawaii

**Public Comment**

**Deadline:** December 23, 1999  
**Status:** DEA First Notice pending public comment.  
Address comments to the applicant with copies to the approving agency or accepting authority, the consultant and OEQC.

**Permits**


**Required:** CDUP, SMA, building

The project involves construction of a single-family home on a 0.24 acre lot that lies within the Conservation District at the makai end of Kona Paradise subdivision, about 250 feet mauka of the shoreline. Associated improvements include a garage, water tank, landscaping, and an Individual Wastewater System.

The cost of the improvements is about \$125,000, and all funding is private (no public funds are involved).

Landclearing and construction activities will produce short-term impacts to noise, air quality, access and scenery, which will be mitigated by adherence to various CDUP conditions. The landowner will survey and set aside an area to accommodate the preservation and use of the trail.

The lot is located in the ahupua'a of Kaohe 4, near Pebble Beach.



## Final Environmental Assessments/Findings of No Significant Impacts (FONSI)



### (2) Kaumana Drive Pipeline Replacement, Phase II

**District:** South Hilo  
**TMK:** None (road right-of-way)  
**Applicant:** County of Hawaii  
Department of Water Supply  
25 Aupuni Street  
Hilo, Hawaii 96720  
Contact: Kurt Inaba (961-8660)

**Approving Agency/Accepting**

**Authority:** Same as above.  
**Consultant:** Gerald Park Urban Planner (942-7484)  
1400 Rycroft Street, Suite 876  
Honolulu, Hawaii 96814

## Public Challenge

**Deadline:** December 23, 1999  
**Status:** FEA/FONSI issued, project may proceed.  
**Permit Required:** Grubbing, Grading, Excavation and Stockpiling; Best Management Practices; Work Within County Highway; Variance from Pollution Controls; NPDES Permit

The Department of Water Supply, County of Hawaii, proposes to construct improvements to a section of its South Hilo Water System. The proposed project is planned within the right-of-way of Kaumana Drive in the ahupua'a of Punahoa 1 and Ponoahawai, District of South Hilo, County, Island, and State of Hawaii.

The purpose of the project is to replace an existing 5-inch and 6-inch galvanized iron waterline, which is about 43+ years old, in deteriorated condition, and prone to leaking. Approximately 5,900 LF of 8-inch ductile iron pipe will be installed along Kuamana Drive between Hokulani Street on the west and Ainako Avenue on the east. Most, if not all of the waterline will be installed within the road shoulder on either side of Kaumana Drive.

Approximately 1,200 LF of high pressure 6-inch ductile iron pipe will be installed parallel with the 8-inch line between Alahelenui Street and a private road. The purpose of the high pressure lines is to insure that each customer is serviced with a minimum of 40 psi static pressure. The Department of Water Supply will also install 4-inch ductile iron pipe within three private roads (or shared driveways off Kaumana Drive). The lengths of pipe for the unidentified roads are 300, 285, and 530 LF respectively.

New fire hydrants will be installed and existing fire hydrants removed from existing lines and reinstalled on the new waterline. The fire hydrants are spaced per requirements of the Hawaii County Fire Department. Existing water meters within the right-of-way and private roads (or driveways) will be relocated inside the properties being serviced. Service connections and installation of new water meters will be performed at no cost to the customer.

The cost of the project is estimated at \$1.0 million and will be funded by the Department of Water Supply Capital Improvements Program. Construction work will commence in the last quarter of 1999 with an estimated completion in 12 months.

## Previously Published Projects Pending Public Comments

### Draft Environmental Assessments

#### ► Kawanakoa Hall Demolition and Reconstruction

**Applicant:** County of Hawaii  
Department of Parks and Recreation  
25 Aupuni Street  
Hilo, Hawaii 96720  
Contact: Glen Miyao, (808) 961-8311

#### Approving Agency/Accepting

**Authority:** Same As Above

#### Public Comment

**Deadline:** December 8, 1999

#### ► Kuki'o Resort Utility Easements

**Applicant:** WB Kukio Resort LLC  
395 Oyster Point, Suite 309  
South San Francisco, CA 94080  
Contact: Ed Divita & Mike Meldman (650-465-7256)

#### Approving Agency/Accepting

**Authority:** Department of Land and Natural Resources  
P.O. Box 621  
Honolulu, Hawaii 96809  
Contact: Lauren Tanaka (587-0385)

#### Public Comment

**Deadline:** December 8, 1999

#### ► Kukuihaele Exploratory Well

**Applicant:** County of Hawaii  
Department of Water Supply  
25 Aupuni Street  
Hilo, Hawaii 96720  
Contact: Keith Okamoto (961-8660)

#### Approving Agency/Accepting

**Authority:** Same as above.

#### Public Comment

**Deadline:** December 8, 1999

#### ► Pu'u 'Alala Radio Tower

**Applicant:** Buddy Gordon, Big Island Radio  
688 Kinoole Street  
Hilo, Hawaii 96720  
Contact: Ron Terry (982-5831)

# Hawaii Notices

NOVEMBER 23, 1999

## Approving Agency/Accepting

**Authority:** County of Hawaii Planning Department  
25 Aupuni Street, #109  
Hilo, Hawaii 96720  
Contact: Phyllis Fujimoto or Susan  
Gagorik (961-8288)

## Public Comment

**Deadline:** December 8, 1999

## Final Environmental Impact Statements

### ► Mamalahoa Highway Bypass Road

**Applicant:** 1250 Oceanside Partners dba Oceanside  
1250  
78-6831 Ali'i Drive, Suite #K-15  
Kailua-Kona, Hawaii 96740  
Contact: Mr. Robert Stuit (324-1500)

## Approving Agency/Accepting

**Authority:** County of Hawaii  
Department of Public Works  
25 Aupuni Street, Suite 202  
Hilo, Hawaii 96720  
Contact: Jiro Sumada (961-8321)/Tom Pack  
(327-3530)

**Status:** FEIS currently being reviewed by the  
Department of Public Works, County of  
Hawaii.

### ► Saddle Road Improvement

**Applicant:** Department of Transportation  
Highways Division  
869 Punchbowl Street  
Honolulu, Hawaii 96813  
Contact: Kenneth Au (587-1843)

## Approving Agency/Accepting

**Authority:** Governor, State of Hawaii  
c/o Office of Environmental Quality Control  
235 South Beretania Street, Suite 702  
Honolulu, Hawaii 96813

**Status:** FEIS currently being reviewed by OEQC.

## Federal Record of Decision

### ► Lower Hamakua Ditch Watershed Project

**Applicant:** USDA Natural Resources Conservation  
Service  
P.O. Box 50004  
Honolulu, Hawaii 96850

## Approving Agency/Accepting

**Authority:** Same as above.

Kenneth M. Kaneshiro, Responsible Federal Official for projects administered under the provisions of Public Law 83-566 in the State of Hawaii, is hereby providing notification that a record of decision to proceed with the installation of the Lower Hamakua Ditch Watershed project, signed November 1, 1999, is available.

The record of decision documents the intent to implement Alternative 3 - Repair and Restoration of the Lower Hamakua Ditch. The project will provide a stable, adequate, and affordable supply of agricultural water to farmers and other agricultural producers in the Lower Hamakua Ditch service area.

The record of decision documents that the Lower Hamakua Ditch Watershed project uses all practicable means, consistent with other essential considerations of national policy, to meet the goals established in the National Environmental Policy Act. The FEIS has been prepared, reviewed, and accepted in accordance with the National Environmental Policy Act.

For further information or single copies of this record of decision contact Kenneth M. Kaneshiro, State Conservationist, Natural Resources Conservation Service, 300 Ala Moana Blvd. Room 4-118, P.O. Box 50004, Honolulu, Hawaii, 96850. Telephone 808-541-2600 ext. 100.

## Supplemental EIS Not Required



### Abalone Production in Kona

The Natural Energy Laboratory of Hawaii Authority proposes to sublease a 10-acre parcel at Keahole Point, North Kona to the Big Island Abalone Corporation for construction and operation of an abalone farm. The proposed abalone farm will consist of 500 tanks which will be used for raising algae and abalone.

The ground area to be disturbed by the proposed project, abalone production processes and seawater return disposal were fully assessed in the Final EIS for the Development Plan for the Hawaii Ocean Science and Technology Park and Expansion of the Natural Energy Laboratory of Hawaii (1985) and Final Supplemental EIS for the Alternative Methods of Seawater Return Flow Disposal (1987).

# Hawaii Notices

NOVEMBER 23, 1999

The Natural Energy Laboratory of Hawaii Authority has reviewed the project and found that "the project will not modify effects disclosed in previously accepted EISs."

According to the EIS rules, applicants shall prepare supplemental environmental impact statements whenever the proposed action for which a statement was accepted has been modified to the extent that new or different environmental impacts are anticipated. A supplemental statement shall be warranted when the scope of an action has been substantially increased, when the intensity of environmental impacts will be increased, when the mitigating measures originally planned are not to be implemented, or where new circum-

stances or evidence have brought to light different or likely increased environmental impacts not previously dealt with.

After reviewing the September 1999, Project Description and Environmental Review, discussing this matter with HOST/NELHA, conducting a site assessment and analyzing the facts in accordance with the above regulations, OEQC has concluded that no new or different environmental impacts are anticipated and that a supplemental environmental impact statement is not required for this project.

Should you have any questions, please call Jeyan Thirugnanam at 586-4185.



# Kauai Notices

## Draft Environmental Assessments




### (1) Batesole Forest Stewardship Project

**District:** Kawaihau  
**TMK:** 4-9-9-9-CPR-8  
**Applicant:** Allan Batesole  
2072 Shiloh Avenue  
Milpitas, California 95035

**Approving Agency/Accepting Authority:** Department of Land and Natural Resources  
Division of Forestry and Wildlife  
1151 Punchbowl Street, Room 325  
Honolulu, Hawaii 96813  
Contact: Nelson Ayers (587-4175)

**Consultant:** Hawaii Reforestation Nursery Services, LLC  
5023 D Moa Road  
Kapaa, Hawaii 96746  
Contact: John Edson (821-8829)

**Public Comment Deadline:** December 23, 1999  
**Status:** DEA First Notice pending public comment. Address comments to the applicant with copies to the approving agency or accepting authority, the consultant and OEQC.



**Permits Required:** Forest Stewardship Project

Allan Batesole proposes to plant various high valued hardwood trees for timber production, derive periodic income through selective logging of the plantation, develop understory crops to create a sustainable long-term agroforestry system, and to improve an aesthetically pleasing forest landscape on 7 acres near Moloa'a, Kauai, Hawaii.

The property was previously in sugar and intensive papaya production and we anticipate no negative impacts as a result of planting trees. About 4,000 trees will be planted in all at an initial spacing of 8 by 10 feet. Species selected for

# Kauai Notices

NOVEMBER 23, 1999

this project include *Acacia koa*, *Acacia koaia*, *Cassia siamea*, *Cordia subcordata*, *Dalbergia sissoo*, *Dalbergia melanozylon*, *Eucalyptus deglupta*, *Eucalyptus dunnii*, *Khaya snegalensis*, *Swietenia mahogani*, *Swietenia macrophylla*, *Tectona grandis*, *Thespesia populnea*, and *Toona ciliata*. Plantation maintenance will include mowing of inter-rows and minimal herbicide treatment of aggressive weeds only when necessary. Tree growth will be monitored and fertilizer will be applied as needed.

## (2) Hanalei Bridge Repair Work

**District:** Hanalei  
**TMK:** N/A  
**Applicant:** Department of Transportation  
Highways Division, Kauai District  
3060 Eiwa Street, Room 205  
Lihue, Hawaii 96766  
Contact: Steve Kyono (274-3111)

### Approving Agency/Accepting

**Authority:** Same as above.  
**Consultant:** Wilson Okamoto & Associates, Inc.  
1907 South Beretania Street, Suite 400  
Honolulu, Hawaii 96826  
Contact: John Sakaguchi (946-2277)

### Public Comment

**Deadline:** December 23, 1999  
**Status:** DEA First Notice pending public comment.  
Address comments to the applicant with copies to the consultant and OEQC.

### Permits

**Required:** None

The Hanalei Bridge crosses the Hanalei River at milepost 1.19 on Kuhio Highway (Kauai Belt Road) Route 560, in the Hanalei District, Kauai. Originally fabricated in 1912 by Hamilton & Chambers of New York, the Hanalei Bridge is a one-lane, single span, steel bridge with timber deck and reinforced concrete abutments. The Bridge has a total length of 113 feet, a 17-foot wide horizontal clearance at the deck, a 15-foot high vertical clearance from the deck, and a posted load limit of 15 tons. The Hanalei Bridge is under the jurisdiction of the State of Hawaii, Department of Transportation, Highways Division, Kauai District. On August 9, 1978, the U.S. Secretary of the Interior determined that the Hanalei Bridge was eligible for listing in the National Register of Historic Places.

Based on shortcomings identified during inspection and load tests and the comments expressed at the March 11, 1999 public informational meeting, the State of Hawaii Department of Transportation Highways Division, Kauai District has determined that removal and replacement of the original Pratt Trusses is the preferred alternative for the Hanalei Bridge. The replacement Pratt Trusses will be of similar appearance as the existing truss and would also be constructed of steel. The one-lane timber deck travel surface will be retained. The pedestrian railings and the entire structure will be painted. The Warren trusses will also be repaired as necessary. The replacement truss would retain without change the Bridge's purpose and alignment. Because Kuhio Highway and the Hanalei Bridge are the sole access to the Hanalei and to the other North Shore communities west of Hanalei, the Bridge will remain in service during the bridge removal and replacement work.

## Draft Environmental Impact Statements

### (3) Kapalawai Resort

**District:** Waimea  
**TMK:** 1-7-5:01  
**Applicant:** Destination Villages Kauai, LLC  
4439 Via Abrigada  
Santa Barbara, CA 93110  
Contact: Lewis Geysler (805-687-8788)

### Approving Agency/Accepting

**Authority:** County of Kauai, Planning Department  
4444 Rice Street, Suite 473  
Lihue, Hawaii 96766  
Contact: Keith Nitta (241-6677)  
**Consultant:** Helber Hastert & Fee, Planners  
733 Bishop Street, Suite 2590  
Honolulu, Hawaii 96813  
Contact: Scott Ezer (545-2055)

### Public Comment

**Deadline:** January 7, 2000  
**Status:** DEIS First Notice pending public comment.  
Address comments to the applicant with copies to the approving agency or accepting authority, the consultant and OEQC.

### Permits

**Required:** State land use, SMP, zoning amendment, general plan amendment

The 170-acre Kapalawai property is located in the *ahupua'a* of Makaweli, in the judicial district of Waimea, on the west side of the island of Kauai, Hawaii. The property is located on a gently sloped piece of land between the shoreline and Kaunualii Highway, the respective southern and northern boundaries of the project site. Aakukui Stream marks the eastern boundary of the property, while agricultural lands are located to the west. The project site is owned in portion by three entities: (1) Gay & Robinson, Inc.; (2) Robinson Family Partners (RFP); and (3) Bruce Robinson. Lease of the property is held by Destination Villages Kauai, LLC (DVK), represented by its President, Lewis Geysler.

The proposed resort includes 250 visitor units (or cottages) that are dispersed throughout the project site, resulting in an overall density of 1.5 units per acre. Approximately 164 of the units will be free-standing and 86 units will be duplex units. Each of the single-story cottages will be about 400 square feet in size, with a 200 square foot deck. No cooking facilities, phones, or televisions will be provided for the units.

A main pedestrian arterial, which will meet Americans with Disabilities Act (ADA) requirements, will connect cottages with adjacent parking areas and activity centers.

One of the focal points for the proposed resort will be the former Robinson Family residence. The general plan for the residence is to develop the main house and attached structures as a greeting space and as a museum, administration, and meeting room area.

Amenities provided at the resort will include: Two restaurants; snackbar; museum (in the former family residence); bar/lounge (in the former family residence); three swimming pools; a fitness center/beach club; sport courts (tennis, basketball, volleyball, badminton); amphitheater; and 465 parking spaces.

A wastewater treatment plant is proposed to handle all wastewater generated by the project, and will be located on the northern portion of the property, between the main house and Kaunualii Highway.

In addition, a second focal point for the project will be the preservation of a 6.5-acre fishpond located in the central portion of the property. Silt and noxious vegetation will be removed from the pond, re-establishing its open water character.

No land use designation changes for the conservation-zoned strip of land parallel to the shoreline are planned. The applicant will seek a general plan amendment from agricultural and open to resort.

---

## Previously Published Projects Pending Public Comments

---

### Draft Environmental Assessments

#### ● Lawai Road Pipeline Replacement, Kukuiula Bay to Spouting Horn


**Applicant:** County of Kauai  
Department of Water  
4398 Pua Loke Street  
Lihue, Hawaii 96766  
Contact: William Eddy (245-5412)

#### Approving Agency/Accepting

**Authority:** Same as above.

#### Public Comment

**Deadline:** December 8, 1999



# Shoreline Notices

NOVEMBER 23, 1999

## Shoreline Certification Applications

Pursuant to § 13 -222-12, HAR the following shoreline certification applications are available for inspection at the DLNR District Land Offices on Kauai, Hawaii and Maui and at Room 220, 1151 Punchbowl St., Honolulu, Oahu (Tel: 587-0414). All comments shall be submitted in writing to the State Land Surveyor, 1151 Punchbowl Street, Room 210, Honolulu, HI 96813 and postmarked no later than fifteen (15) calendar days from the date of the public notice of the application.

Case No.	Date Received	Location	Applicant	Tax Map Key
MA-144	11/02/99	Lot 13 of the Ulmer Subdivision being a portion of Grant 3343 to Claus Spreckels at Spreckelsville, Wailuku, Maui, Hawaii (Vacant - Makai of Hana Highway)	A&B Properties, Inc.	3-8-002: 008
OA-750	11/02/99	Lot 7 Kawaihoa Beach Lots Section "E" being a portion of Land Commission Award 7713 Apana 33 to V. Kamamalu at Kawaihoa, Waialua, Oahu, Hawaii (61-725 Papailoa Rood Haleiwa)	DJNS Surveying and Mapping, Inc., for Richard Holland	6-1-004: 068
KA-142	11/02/99	Lot 55 Land Court Application 1160 Hanalei, Kauai, Hawaii (4906 Weke Road, Hanalei, Kauai)	Esaki Surveying and Mapping, Inc., for Nathan Hamar	5-5-001: 012
OA-751	11/08/99	Lot 1. File Plan 279, Niu Beach Lots Por. Former Kalaniana'ole Highway and Accreted Land at Niu, Waikiki, Honolulu, Oahu, Hawaii (5857 Kalaniana'ole Hwy)	Walter P. Thompson, Inc., for Steven K. Baker	3-7-002: 001
MA-218	11/03/99	Being a portion of Land Commission Award 11,216 Apana 21 to Kekauonohi at Palauea, Honuaula, Makawao, Maui, Hawaii (4492, 4500, 4506 & 4516 Makena Road)	ControlPoint Surveying, Inc., for Palauea Bay Properties, LLC	2-1-011: 015 & 018 (lot 50, 51, 52 & 53)

# Shoreline Notices

NOVEMBER 23, 1999

## Shoreline Certifications and Rejections

Pursuant to §13-222-26, HAR the following shorelines have been certified or rejected by the DLNR. A person may appeal a certification or rejection to the BLNR, 1151 Punchbowl Street, Room 220, Honolulu, HI 96813, by requesting in writing a contested case hearing no later than twenty (20) calendar days from the date of public notice of certification or rejection.

Case No.	Date Cert/Rej	Location	Applicant	Tax Map Key
OA-737	Withdrawn 10/23/99	Lot 157-160 (incl) (Map 26); 297 (Map 45); 2697 (Map 274) and portion of lot 11728 (Map 864) of Ld Ct App 1069, at Honouliuli, Ewa, Oahu, Hawaii (Vacant - Oneula Beach Park)	Towill, Shigeoka & Associates, for Haseko Homes, Inc.	9-1-12: 5 & 25 & 9-1-11: 7-3 (incl.)
OA-737	Certified 10/13/99	Lot 157-160 (incl) (Map 26; 297) (Map 45); 2697 (Map 274) and portion of lot 11728 (Map 864) of Land Court Application 1069, at Honouliuli, Ewa, Oahu, Hawaii (Vacant - Oneula Beach Park)	Towill, Shigeoka & Associates, for Haseko Homes, Inc.	9-1-12: 5 & 25 & 9-1-11: 7-3 (incl.)
KA-140(K A-139)	Certified 11/10/99	Lot 12, Aliomanu Estates, File Plan 2023, Papaa, Kawaihau, Kauai (no address, Kawaihau, Kauai)	Wagner Engineering, Inc., for Norman Caris	4-9-05: 027
OA-746	Certified 11/10/99	Lot 26, Pupukea-Paumalu Beach Lots at Pupukea, Koolauloa, Oahu, Hawaii (59-347 Ke-Nui Road, Haleiwa)	Walter P. Thompson, Inc., for Peter Johnson	5-9-003: 002
HA-218	Certified 11/10/99	The whole of R.P. 3804, L.C. Aw. 7958 Ap. 2 to Keliinohokaha at Honalo, North Kona, Hawaii (Vacant - Government Road between Keauhou and Kainaliu)	Wes Thomas Associates, for Gary Brand	7-9-005: 013
OA-642	Certified 11/10/99	Lot 2A Land Court Application 1502 (Map 1), at Malae, Kaneohe, Koolaupoko, Oahu, Hawaii (44-226 Malae Place, Kaneohe)	Towill, Shigeoka & Associates, Inc., for Mr. and Mr. Bert Werjefelt	4-4-021: 010

# Coastal Zone News

NOVEMBER 23, 1999

## Federal Consistency Reviews

The Hawaii Coastal Zone Management (CZM) Program has received the following federal actions to review for consistency with the CZM objectives and policies in Chapter 205A, Hawaii Revised Statutes. This public notice is being provided in accordance with section 306(d)(14) of the National Coastal Zone Management Act of 1972, as amended. For more information, please call John Nakagawa with the Hawaii CZM Program at 587-2878. Federally mandated deadlines require that comments be received by the date specified for each CZM consistency review and can be mailed to: David W. Blane, Director, Office of Planning, Department of Business, Economic Development and Tourism, P.O. Box 2359, Honolulu, Hawaii 96804. Or, fax comments to the Hawaii CZM Program at 587-2899.

### (1) Komohana Street/Alenaio Stream Bridge Replacement, Hilo, Hawaii

**Federal Action:** Department of the Army Permit  
**Federal Agency:** U.S. Army Corps of Engineers, 438-9258  
**Applicant:** County of Hawaii Department of Public Works  
Contact: Paul Nash, 808-961-8327  
**Consultant:** M & E Pacific  
Contact: Alan Tomita, 521-3051  
**Location:** Hilo, Hawaii  
**TMK:** 2-3-37: 6, 2-3-43: 5, 2-3-44: 9, 2-3-48: 17-21 & 2-3-50: 12

#### Proposed Action:

Replace the existing bridge at the crossing of Alenaio Stream by Komohana Street and its corrugated metal arch culvert with a new bridge and a wider concrete box culvert to accommodate greater peak flows and reduce roadway damage and overtopping. The project also involves constructing two inlet channel walls; extending two floodwalls from the downstream side of the bridge about 210 feet along the south bank of Alenaio Stream and 50 feet along the north bank of the stream; install a concrete swale next to the south flood-wall; widen the stream channel and level the stream bed; and construct a 12-foot wide by 140-foot long paved maintenance road into the stream channel.

**Comments Due:** December 7, 1999

### (2) Place Existing Overhead Utility Lines Under Anahulu Bridge and Anahulu Stream, Haleiwa, Oahu

**Federal Action:** Department of the Army Permit  
**Federal Agency:** U.S. Army Corps of Engineers, 438-9258

**Applicant:** City & County of Honolulu Department of Design & Construction  
**Consultant:** Calvin Kim & Associates, Inc.  
Contact: Conrad Shiroma, 593-8770  
**Location:** Anahulu Stream, Haleiwa, Oahu  
**TMK:** 6-2-3, 6-6-1 & 6-6-2

#### Proposed Action:

Place existing overhead utility lines under Anahulu Bridge and Anahulu Stream. The utility lines presently cross over the Anahulu Bridge. The conversion to underground lines involves two electrical ducts, four telephone ducts and two cable television ducts. Four ducts are to be installed under the sidewalk portion of the bridge and the remaining four ducts will be installed under Anahulu Stream without touching the stream banks using horizontal directional drilling

**Comments Due:** December 7, 1999

### (3) Bathtub Beach Erosion Control Project, Laie, Oahu

**Federal Action:** Department of the Army Permit  
**Federal Agency:** U.S. Army Corps of Engineers  
Contact: Lolly Silva, 438-9258  
**Applicant:** Mr. Arne G. Westly  
**Location:** Bathtub Beach, Laie, Oahu  
**TMK:** 5-5-2: 3 & 4

#### Proposed Action:

Install a submerged sandbag groin to retain sand and control beach erosion at Bathtub Beach, Laie. Each sandbag is a sand-colored, porous polyester bag, 5' wide x 10' long x 18" high, and holds 2 cubic yards of sand. A total of about 24 cubic yards of sand will be used.

**Comments Due:** December 7, 1999

### (4) Lease of Pearl Harbor Naval Shipyard Dry Dock No. 4

**Federal Action:** Federal License or Permit  
**Federal Agency:** U.S. Navy  
**Applicant:** Honolulu Shipyard, Inc.  
Contact: Frank McLaughlin, 848-6374  
**Location:** Pearl Harbor, Oahu

#### Proposed Action:

Private lease of dry dock no. 4 at the Pearl Harbor Naval Shipyard for non-federal use for the period January 6-19, 2000. The applicant proposes to lease the dry dock from the Navy to perform repairs to the cruise ship S.S. Independence.

**Comments Due:** December 7, 1999

# Pollution Control Permits

NOVEMBER 23, 1999

## Department of Health Permits

The following is a list of some pollution control permits currently being reviewed by the State Department of Health. For more information about any of the listed permits, please contact the appropriate branch or office of the Environmental Management Division at 919 Ala Moana Boulevard, Honolulu.

<i>Branch &amp; Permit Type</i>	<i>Applicant &amp; Permit Number</i>	<i>Project Location</i>	<i>Pertinent Dates</i>	<i>Proposed Use</i>
Safe Drinking Water Branch, 586-4258, UIC Permit	Hawaii Electric Light Co. UH-1240	Hill Plant #5 Reinjection Well 54 Halekauila St., Hilo	n/a	Permit renewal of one injection well for indstrl. wastewater (cooling water) disposal.
Safe Drinking Water Branch, 586-4258, UIC Permit	Assoc. of Apartment Owners UH-1282	Kona Eastwind Condominium 77-305 Kalani Way, Kailua-Kona	n/a	Permit renewal of 2 injection wells for sewage disposal.
Safe Drinking Water Branch, 586-4258, UIC Permit	University of Hawaii at Hilo UH-1478	University of Hawaii at Hilo 200 West Kawili St., Hilo	n/a	Permit renewal of 3 injection wells for surface drainage.
Safe Drinking Water Branch, 586-4258, UIC Permit	University of Hawaii at Hilo UH-1617	University of Hawaii at Hilo 200 West Kawili St., Hilo	n/a	Permit renewal of 2 injection wells for parking lot drainage.
Safe Drinking Water Branch, 586-4258, UIC Permit	Hawaii Army National Guard, Dept. of Defense State of Hawaii UH-1940	Army Aviation Support Facility No. 2, 1046 Leilani St., Hilo	n/a	Permit renewal of one injection well for surface drainage.
Safe Drinking Water Branch, 586-4258, UIC Permit	Assoc. of Apartment Owners UO-1962	Konane Kai Condominium 68-151 to 68-155 Au St., Waialua	n/a	Permit renewal of 2 injection wells for sewage disposal.
Safe Drinking Water Branch, 586-4258, UIC Permit	George J. Gubener UO-1775	Mokuleia Shores Apartments 68-041 Waialua Beach Rd., Mokuleia	n/a	Permit renewal of 2 injection wells for sewage disposal.
Safe Drinking Water Branch, 586-4258, UIC Permit	Dept. of Public Works County of Kauai UK-1212	Eleele Sewage Treatment Plant 4440 Waialo Rd., Eleele, Kauai	n/a	Permit modification for 4 injection wells for sewage disposal.

# Federal Notices

NOVEMBER 23, 1999

## NOAA Coastal Services Center Grants

National Oceanic and Atmospheric Administration (NOAA) announces availability of federal assistance for fiscal year 2000 Coastal Change and Analysis Program (C-CAP). C-CAP is a nationwide effort to produce standardized and consistent terrestrial and benthic habitat maps and change data for coastal areas of the United States. The Center is seeking to expand its national effort to monitor change in coastal habitats, and will solicit proposals from regional, state, and local government agencies, academic institutions, and nonprofit organizations for two to three year cooperative agreements. Funding is limited to \$75,000 per proposal, with a 20 percent cost share. Consideration for funding will be limited to project proposals for Hawaii or Florida based on gaps in previous C-CAP habitat characterization efforts.

Contact NOAA Coastal Services Center, 2234 South Hobson Ave., Charleston, SC 29405-2413. Attn: Dorsey Worthy (C-CAP); ph. (843)-740-1234 or email <[Dorsey.Worthy@noaa.gov](mailto:Dorsey.Worthy@noaa.gov)>. The C-CAP protocol is available via the web at <http://www.csc.noaa.gov/ccap/protocol/protocoltxt.html>. [11/4/99 Federal Register]

## Pelagics Fisheries EA and EIS

National Marine Fisheries Service (NMFS) of NOAA will prepare an EIS on Federal management of the fishery for pelagic species in the Exclusive Economic Zone (EEZ) waters of the Western Pacific Region. The scope of the EIS analysis will include all activities related to the conduct of the fishery authorized and managed under the Fishery Management Plan for the Pelagics Fisheries of the Western Pacific Region (FMP) and all amendments thereto. Additionally, NMFS will prepare an EA on the fishery covering all activities related to the conduct of the fishery for the 2-year period NMFS anticipates is necessary to prepare the EIS. NMFS is accepting written comments on the range of actions, alternatives, and impacts it should be considering for this EIS and EA.

Written comments will be accepted through **December 6, 1999**. The Program Manager for this EIS is Rodney R. McInnis, Acting Southwest Regional Administrator, NMFS. Requests to be included on a mailing list of interested persons should be sent to Marilyn Luipold (808-973-2937 or 2935, ext. 204), Pacific Islands Area Office, NMFS, 1601 Kapiolani Blvd., Suite 1110, Honolulu, HI 96814-4700. Comments also may be faxed to 808-973-2941. *NMFS will not accept comments sent by e-mail or the Internet.*

An informational presentation will be made 11/30/99, 6-8 p.m., Waianae Public Library, 85-625 Farrington Hwy., Waianae, HI 96792. [11/5/99 Federal Register]

## Federal Property Suitable to Assist the Homeless

This Notice from HUD identifies 5 buildings at Schofield Barracks, each 2-story and 6708 sq. ft., and 1 building at Wheeler Army Airfield as surplus Federal property possibly suitable for use to assist the homeless. Those wishing more information should contact Clifford Taffet, room 7266, Department of Housing and Urban Development, 451 Seventh Street SW., Washington, DC 20410; telephone (202) 708-1234; TTY (202) 708-2565 or the toll-free Title V information line at 1-800-927-7588. For more information regarding particular properties, contact Mr. Jeff Holste, Military Programs, U.S. Army Corps of Engineers, Installation Support Center, Planning & Real Property Branch, ATTN: CEMP-IP, 7701 Telegraph Road, Alexandria, VA 22315-3862; (703) 428-6318. [11/12/99 Federal Register]

## Endangered Species Permit Applications

Stacy Jorgensen of Honolulu, Hawaii requests a permit to remove and reduce to possession specimens of *Lipochaeta tenuifolia* (an endangered plant) throughout the range of the species in conjunction with genetic analysis in order to enhance its propagation and survival. Written comments, referencing permit no. TE-018907, must be received on or before **December 13, 1999** and sent to Chief, Endangered Species, Ecological Services, Fish and Wildlife Service, 911 N.E.11th Avenue, Portland, Oregon 97232-4181; Fax: (503) 231-6243. [11/12/99 Federal Register]

## Pearl Harbor Dredging Permit

The Army Corps of Engineers proposes to renew a general dredging permit for Pearl Harbor for an additional 5 years. The current permit expires December 15, 1999. Permit # PODCO-O GP-84-2 authorizes the US Navy to perform dredging in Pearl Harbor and dispose of the dredged material at a designated South Oahu ocean disposal site. Because of changes in sediment evaluation, a portion of dredge material was found to be unsuitable for ocean disposal. Dredging projects under the current permit were put on hold till an alternate disposal method for unsuitable dredge material was developed. Written comments on the extension can be addressed to District Engineer, US Army Corps of Engineers, Bldg. 230/CEPOH-EC-R, Fort Shafter HI 96858-5440 and must be received by **December 6, 1999**. Comments may also be faxed to 808-438-4060. Direct inquiries to William Lennan, 808-438-6986.



## Submission & Comment Deadlines for 2000 Environmental Notice

SUBMISSION DEADLINE	ENVIRONMENTAL NOTICE ISSUE DATE	30-DAY COMMENT DEADLINE	45-DAY COMMENT DEADLINE
December 13, 1999	December 23, 1999	January 24, 2000	February 7, 2000
December 28, 1999	January 8, 2000	February 7, 2000	February 22, 2000
January 11, 2000	January 23, 2000	February 22, 2000	March 8, 2000
January 27, 2000	February 8, 2000	March 9, 2000	March 24, 2000
February 10, 2000	February 23, 2000	March 24, 2000	April 10, 2000
February 25, 2000	March 8, 2000	April 7, 2000	April 24, 2000
March 13, 2000	March 23, 2000	April 24, 2000	May 8, 2000
March 29, 2000	April 8, 2000	May 8, 2000	May 23, 2000
April 11, 2000	April 23, 2000	May 23, 2000	June 7, 2000
April 26, 2000	May 8, 2000	June 7, 2000	June 22, 2000
May 11, 2000	May 23, 2000	June 22, 2000	July 7, 2000
May 26, 2000	June 8, 2000	July 10, 2000	July 24, 2000
June 13, 2000	June 23, 2000	July 24, 2000	August 7, 2000
June 27, 2000	July 8, 2000	August 7, 2000	August 22, 2000
July 12, 2000	July 23, 2000	August 22, 2000	September 6, 2000
July 27, 2000	August 8, 2000	September 7, 2000	September 22, 2000
August 10, 2000	August 23, 2000	September 22, 2000	October 7, 2000
August 28, 2000	September 8, 2000	October 9, 2000	October 23, 2000
September 13, 2000	September 23, 2000	October 23, 2000	November 8, 2000
September 27, 2000	October 8, 2000	November 8, 2000	November 22, 2000
October 11, 2000	October 23, 2000	November 22, 2000	December 7, 2000
October 26, 2000	November 8, 2000	December 8, 2000	December 26, 2000
November 13, 2000	November 23, 2000	December 26, 2000	January 8, 2001
November 28, 2000	December 8, 2000	January 8, 2001	January 22, 2001
December 13, 2000	December 23, 2000	January 22, 2001	February 6, 2001
December 26, 2000	January 8, 2001	February 7, 2001	February 22, 2001

Note: Please submit the following to OEQC by 4:30 PM of the submission deadline day:

- 1) Agency transmittal letter;
- 2) Four copies of EA/EIS;
- 3) OEQC Publication Form; and
- 4) Project summary on floppy disk or by email.